




Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS
 123 Columbia Court North • Suite 201 • Chaska, MN 55318
 (952) 448-5300 • Fax (952) 448-2813 • (800) 448-0121
 Email: sales@acousticalsurfaces.com
 Visit our Website: www.acousticalsurfaces.com


We Identify and **S.T.O.P.** Your Noise Problems




NOTES:

- 1) CAUTION: DO NOT OVER TIGHTEN OR PUT EXCESSIVE FORCE ON GROMMETS, AS THIS MAY CAUSE BAFFLE FAILURE.
- 2) TIE-WIRE IS RECOMMENDED TO CONNECT DIRECTLY ABOVE GROMMET. AVOID ATTACHING AT ODD ANGLES, AS THIS CAUSES UNDO STRESS ON GROMMETS.
- 3) PREFERRED METHOD OF SUSPENSION.
- 4) TIE-WIRE TO BE SNUGGED TIGHT TO CABLE SO TO PREVENT SLIPPAGE.

1 VIEW FROM BELOW
 SCALE: NA



2 FRONT ELEVATION
 SCALE: NA



3 SIDE ELEVATION
 SCALE: NA