



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

MSDS Information

MATERIAL SAFETY DATA

Melamine Foam Product Identification

Page 1 of 3

Issued: July 1, 2003

Chemical name and synonyms: Melamine Polymer

Chemical family: Melamine resin base

1. HAZARDOUS INGREDIENTS NOT APPLICABLE

2. PHYSICAL DATA

Boiling point:	n.a.
Vapor pressure:	n.a.
Solubility (water):	negligible
Specific gravity"	0.01
Percent Volatile	n.a.
Volatile organics:	n.a.
Evaporation rate:	none
ph:	8.1
Appearance and Odor:	Opaque; white cellular foam; no Odor

3. FIRE AND EXPLOSION DATA

Flash point:	Above 400 degrees C
Flammable limit-LEL:	n.a.
Flammable limit-UEL:	n.a.
Autoignition temp.:	N/D
Extinguishing media:	Water fog, foam, alcohol foam, CO2, dry chemical

Special fire fighting procedures: Under normal atmospheric conditions this material does not burn.

Unusual fire and explosion hazards: Decomposition in a fire may produce toxic fumes. Fire fighters should be equipped with self-contained breathing apparatus.



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

MSDS Information

MATERIAL SAFETY DATA

Melamine Foam Product Identification

Page 2 of 3

Issued: July 1, 2003

4. HAZARDOUS INGREDIENTS NOT APPLICABLE

5. PHYSICAL DATA

Boiling point:	n.a.
Vapor pressure:	n.a.
Solubility (water):	negligible
Specific gravity"	0.01
Percent Volatile	n.a.
Volatile organics:	n.a.
Evaporation rate:	none
ph:	8.1
Appearance and Odor:	Opaque; white cellular foam; no Odor

6. FIRE AND EXPLOSION DATA

Flash point:	Above 400 degrees C
Flammable limit-LEL:	n.a.
Flammable limit-UEL:	n.a.
Autoignition temp.:	N/D
Extinguishing media:	Water fog, foam, alcohol foam, CO ₂ , dry chemical

Special fire fighting procedures: Under normal atmospheric conditions this material does not burn.

Unusual fire and explosion hazards: Decomposition in a fire may produce toxic fumes. Fire fighters should be equipped with self-contained breathing apparatus.



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems

MSDS Information

MATERIAL SAFETY DATA

Melamine Foam Product Identification

Page 3 of 3

Issued: July 1, 2003

7. ENVIRONMENTAL AND DISPOSAL INFORMATION

Spill response: n.a. – handle as any other inert material.

Disposal method: Reuse, or bury in an approved landfill per all local, state, and federal regulations.

8. HANDLING PRECAUTIONS

Exposure guidelines: N/D

Ventilation: Treat as any nuisance dust if present in this form.

Respiratory protection: None should be required. If irritation does occur wash affected area with soap and water.

Eye protection: Use safety glasses where airborne dust is present.

9. ADDITIONAL INFORMATION

Practice reasonable care in storage and handling of this product. Material is damaged easily by mechanical means.