

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPEC

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problem

Material Safety Data Sheet

Identity: (As used on Label and List) 1LB, and 2 LB, VINYL SOUND DEADENING

SECTION I: DESCRIPTION:

Emergency Telephone Number:

(781) 647 1700

Information Telephone Number:

1-800-527-6353

Manufacturers Name

Rendered by Manufacturer and Released to Acoustical Surfaces, Inc. 123 Columbia Court N., Chaska MN 55318

SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components CAS# MAX% OSHA-PEL <u>ACGIH-TLV</u>

VINYL Sound Deadening Products are classified as "ARTICLES" under applicable EPA Regulations and OSHA Standards. Under normal conditions of use, these articles do not release or otherwise result in exposure to a hazardous chemical.

SECTION III: Physical/Chemical Characteristics

Boiling Point Specific Gravity $(H_2O = 1)$

1.97 1/- 0.03

Vapor Pressure (mm Hg): N/Λ Melting Point: 300 325 DEGREE F

Vapor Density (AIR = 1): Solubility in Water: N/A N/A

Evaporation Rate Appearance and odor: (Butyl Acetate = 1): N/Λ SOLID, FLEXIBLE MATERIAL

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point (method used) Flammable Limits: \mathbf{LEL} UEL NONE ESTABLISHED

Extinguishing Media: WATER SPRAY, FOAM, CARBON DIOXIDE WHEN FIGHTING A FIRE INVOLVING THIS MATERIAL.

Special Fire Fighting Equipment:

WEAR SELF- CONTAINED BREATHING APPARATUS WHEN EXPOSED TO PRODUCTS IN DECOMPOSITION.

Page 1 of 4



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: <u>sales@acousticalsurfaces.com</u>
Visit our Website: <u>www.acousticalsurfaces.com</u>

We Identify and S.T.O.P. Your Noise Problem

Material Safety Data Sheet

Unusual Fire and Explosion Hazards: NONE.

SECTION V: REACTIVITY DATA

Stability: Stable XXX Unstable Conditions to Λνοία;

TEMPERATURES ABOVE 400 F

Incompatibility (Material to Avoid): NONE KNOWN

Hazardous Decomposition or Byproducts: HYDROGEN CHLORIDE GAS, CARBON DIOXIDE OXIDATION, AND DECOMPOSITION PRODUCTS WOULD RESULT FROM THE COMBUSTION OR THERMAL DEGRADATION OF THIS PRODUCT.

Hazardous Polymerization: May occur Will Not Occur XXX

Conditions to Avoid: TEMPERATURES ABOVE 400 F

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation: NO Skin: NO Ingestion: NO

Health Hazards (Acute and Chronic)

Carcinogenicity: NTP: IARC Monographs: OSHA Regulated:

(Refer to SECTION II) NO NO NO NO

Signs and Symptoms of Exposure:

NONE KNOWN UNDER NORMAL USE

Medical Conditions Generally Aggravated by Exposure: N/A

Emergency and First Aid Procedure: WASH SKIN WITH SOAP AND WATER. FOR SKIN BURNS CAUSED BY EXPOSURE TO <u>HEATED MATERIAL</u>, IMMEDIATELY IMMERSE AFFECTED AREA IN COLD WATER AND FLUSH WITH LARGE AMOUNTS OF COLD WATER. COVER WITH GAUZE AND SEEK PROMPT MEDICAL ATTENTION.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: N/A

Waste Disposal Method:

IN ACCORDANCE WITH APPLICABLE ENVIRONMENTAL WASTE CONTROL REGULATIONS.

Precautions to be taken in Handling and Storing:

NORMAL HYGIENIC PRACTICES, STORE AT AMBIENT TEMPERATURES.

Page 2 of 4



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPE

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problem

Material Safety Data Sheet

Other Precautions: NONE REQUIRED

SECTION VIII – EMPLOYEE PROTECTION RECOMMENDATIONS Respiratory Protection (Specify Type) NONE Ventilation: Local Exhaust: Special: Only if dust is generated N/A Mechanical: Other: N/A Protective Gloves: GLOVES SHOULD BE WORN AS GOOD INDUSTRIAL PRACTICE Eye Protection: WHEN CUTTING PRODUCT, SAFETY GLASSES ARE GOOD INDUSTRIAL PRACTICE. Other Protective Clothing or Equipment: N/A Work/Hygienic Practices: NORMAL HYGIENE SECTION IX - SHIPPING DATA D.O.T. Shipping NameN/A D.O.T. Hazard Class......NON-REGULATED (NMFC156830, CL 55 OR CL70) SECTION X: PREPARER Revision Number:1 Prepared By:.....Peter Bury Title:Technical Director

Page 3 of 4

Preparation Date:August 10, 2006

Print Date:July 19, 2011

[•] Soundproofing Products • Sonex™ Ceiling & Wall Panels • Sound Control Curtains • Equipment Enclosures • Acoustical Baffles & Banners • Solid Wood & Veneer Acoustical Ceiling & Wall Systems • Professional Audio Acoustics • Vibration & Damping Control • Fire Retardant Acoustics • Hearing Protection • Moisture & Impact Resistant Products • Floor Impact Noise Reduction • Sound Absorbers • Noise Barriers • Fabric Wrapped Wall Panels • Acoustical Foam (Egg Crate) • Acoustical Sealants & Adhesives • Outdoor Noise Control • Assistive Listening Devices • OSHA, FDA, ADA Compliance • On-Site Acoustical Analysis • Acoustical Design & Consulting • Large Inventory • Fast Shipment • No Project too Large or Small • Major Credit Cards Accepted



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problem

Material Safety Data Sheet

DISCLAIMER OF LIABILITY

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.

Final determination of the suitability of this material is the sole responsibility of the user. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.