


Noise S.T.O.P.™ Sound Barrier Acoustical Ceiling Tile

Sound Absorbing Ceiling Tiles

Noise S.T.O.P.™ Sound Barrier Ceiling Tiles offer excellent acoustical properties. Available in 23-3/4" x 23-3/4" or 23-3/4" x 47-3/4" (Nominal 2' x 2' or 2' x 4'). Easy drop-in/lay-in installation into T-grid

Noise S.T.O.P.™ Sound Barrier Ceiling Tile features 1lb/sqft foil-backed mass-loaded vinyl barrier laminated to a fiberglass core with a white cleanable fabric facing. These soundproof ceiling tiles offer high STC and NRC values.

The fiberglass core absorbs sound for a high NRC rating that reduces echo (or reverberation) within the room. The mass-loaded vinyl barrier blocks sound for a high STC rating that reduces sound transmission between rooms.



STOP NOISE

ACOUSTICAL | SURFACES, INC.

Celebrating Over 40 Years - SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION SPECIALISTS!
952.448.5300 | 800.448.0121 | sales@acousticalsurfaces.com | www.acousticalsurfaces.com

Noise S.T.O.P.™ Sound Barrier, Acoustical Ceiling Tile



FEATURES & BENEFITS

- Excellent acoustical properties
- Good light reflectance
- Easy installation
- Cleanable face

APPLICATIONS

Any place where high performance acoustics is required.

MATERIAL

Fiberglass core with fabric facing and mass-loaded vinyl backing.

SIZE

Available in 23-3/4" x 23-3/4" or 23-3/4" x 47-3/4"
(Nominal 2' x 2' or 2' x 4')

THICKNESS

1-1/8" or 2-1/8" thickness.

INSTALLATION

Easy drop-in/lay-in installation into T-grid.

FLAMMABILITY

ASTM E-84 Class A, Nonflammable

PERFORMANCE

1" NRC = 0.85, STC = 26

2" NRC = 1.15, STC = 26

Test Reports & Additional Information Can be Found at:

https://www.acousticalsurfaces.com/acoust_ceilings/barricade_ceiling.htm

EDGE DETAIL



Square Edge
Standard



ACOUSTICAL | SURFACES, INC.

Celebrating Over 40 Years- SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION SPECIALISTS!

952.448.5300 | 800.448.0121 | sales@acousticalsurfaces.com | www.acousticalsurfaces.com

©2020 Acoustical Surfaces, Inc. V2